

VUKA GENERAL CLEAN GC

DESCRIPTION

Vuka General Cleaner is a highly concentrated general purpose industrial cleaner. Powerful enough to suit most industrial cleaning requirements.

USES

Food and beverage as well as general industry

DILUTION

Cleaning level required and dosage.

Light	5%	1L in 20L water
Medium	10%	2L in 20L water
Heavy	50%	10L in 20L water

MIXING

Add the required dosage to water and stir with a flat paddle for 1 minute.

APPLICATION

Pour gently over the floor area, use squeegees or hard bristle brooms to spread. Allow contact time of 5 to 10 minutes for solution to stand over floor area for best results. Scrub floors with hard bristle broom or for best result use mechanical scrubbers. Squeegee off and dispose of waste water in a suitable manner. Apply only clean water and scrub again. Flush with clean water. Repeat entire cycle if required.

SUITABILITY WITH EQUIPMENT

Before using in cleaning machinery contact the manufacturer to ensure compatibility.

STORAGE

24 Months from date of production if stored in original sealed containers in dry conditions at temperatures between +5 C and +30 C.

HEALTH AND SAFETY

Use of basic principles of industrial hygiene and protective clothing such as gloves, goggles, masks will enable the product to be used safely. Splashes into eyes should be washed immediately with clear water and medical advice sought.

FURTHER INFORMATION

Vuka Floors products are guaranteed against defective materials and manufacture and are sold subject to its Terms and Conditions which may not be overridden in any other legal documentation.

Whilst any information contained herein is true, accurate and represents our best knowledge and experience at the date of issuance it is subject to change without prior notice. User must contact Vuka Floors to verify correctness before specifying or ordering. No warranty is given or implied with any recommendations made by us, our representatives or distributors, as the conditions of use and the competence of any labour involved in the application are beyond our control.

Figures given for consumption / spread rates are theoretical and do not allow for additional materials due to surface profile, porosity, variations in level and wastage etc.